ANNALS OF HUMAN GENETICS

Edited by
E. B. ROBSON C. A. B. SMITH
D. A. HOPKINSON
with the assistance of
J. D. A. DELHANTY S. POVEY
J. EDMISTON J. RATHBONE

VOL. 56 (1992)

I have no faith in anything short of actual Measurement and the Rule of Three. CHARLES DARWIN (*Life and Letters*, Vol. II, 51)

PUBLISHED FOR THE
GALTON LABORATORY, UNIVERSITY COLLEGE LONDON
BY THE
CAMBRIDGE UNIVERSITY PRESS
THE PITT BUILDING, TRUMPINGTON STREET, CAMBRIDGE CB2 1RP
40 WEST 20TH STREET, NEW YORK, NY 10011, USA
10 STAMFORD ROAD, OAKLEIGH, MELBOURNE 3166, AUSTRALIA

General impressions are never to be trusted. Unfortunately when they are of long standing they become fixed rules of life, and assume a prescriptive right not to be questioned. Consequently those who are not accustomed to original inquiry entertain a hatred and a horror of statistics. They cannot endure the idea of submitting their sacred impressions to cold-blooded verification. But it is the triumph of scientific men to rise superior to such superstitions, to desire tests by which the value of beliefs may be ascertained, and to feel sufficiently master of themselves to discard contemptuously whatever may be found untrue. FRANCIS GALTON

© University College London 1992

PRINTED IN GREAT BRITAIN

INDEX Vol. 56

Abbott, C.
see Povey, S. *et al.*
Abbott, C. M.
see Douglas, A. J. *et al.*
Abbott, C. M.
see Pilz, A. J. *et al.*
AD1. The... locus in familial Alzheimer disease, 295
adenosylhomocysteine hydrolase. Kinetic properties of the common electrophoretic variants of human S-...(AHCY): the effect of four nucleoside analogue inhibitors, 35
Adinolfi, M.
see Stone, S.
(AHCY). Kinetic properties of the common electrophoretic variants of human S-adenosylhomocysteine hydrolase...: the effect of four nucleoside analogue inhibitors, 35
Akane, A.
see Nakagome, Y. *et al.*
algorithms for a location database, 223
Alzheimer disease, familial. The AD1 locus in, 295
apolipoprotein. Genetic relationship between the 3′-VNTR and diallelic... B gene polymorphisms: haplotype analysis in individuals of European and South Asian origin, 11
Asia. A Y-associated allele may be characteristic of certain ethnic groups in, 311
Attwood, J.
see Fox, M. F. *et al.*

Bale, A.
see Povey, S. *et al.*
Barrai, I.
kinship profiles and their errors, 77
Bayesian methods and opimal experimental design for gene mapping by radiation hybrids, 119
birth weight. Natural selection associated with... VI. Towards the end of the stabilizing component, 113
Blasi, P.
see Persichetti, F. *et al.*
Boehnke, M.
see Lange, K.
Bonaïti-Pellié, C.
see Clerget-Darpoux, F.
Boxer, M.
see Moghrabi, N. *et al.*
Bozzi, A.
see Corbo, R. M. *et al.*
Budowle, B.
see Chakraborty, R. *et al.*
Burchell, B.
see Moghrabi, N. *et al.*

C8A and C8B RFLPs on chromosome 1. Linkage and association studies with, 233
calculation of genetic identity coefficients, 339
Cannings, C.
see Lewis, C. M.
Carothers, A. D. & Wright, A. F.
the effect of mutation on linkage disequilibrium, 155
carrier detection of deletions of the Hunter gene by *in situ* hybridization, 93
Carter, N. D.
see Kelly, C. D. *et al.*
Chakraborty, R., De Andrade, M., Daiger, S. P. & Budowle, B.
apparent heterozygote deficiencies observed in DNA typing data and their implications in forensic applications, 45
chromosomal assignment. Nucleotide sequence and... of a cDNA encoding the large isoform of human glutamate decarboxylase, 255
chromosomal assignment of human phenol and bilirubin UDP-glucuronosyltransferase genes (*UGT1A*-subfamily), 81
chromosomal localization. Structure and... of the human 2′,3′-cyclic nucleotide 3′phosphodiesterase gene, 243
chromosome 1. Linkage and association studies with C8A and C8B RFLPs on, 233
chromosome 7q22. Regional localization of the intestinal mucin gene *MUC3* to, 281
chromosome 9. Report on the First International Workshop on... and on Tuberous Sclerosis, 167
chromosome 20. The genes coding for phosphoenolpyruvate carboxykinase-1 (PCK1) and neuronal nicotinic acetylcholine receptor α4 subunit (CHRNA4) map to..., extending the known region of homology with mouse chromosome 2, 289
Clerget-Darpoux, F. & Bonaïti-Pellié, C.
strategies based on marker information for the study of human diseases, 145
Collins, A.
see Houlston, R. S. *et al.*
Collins, A.
see Morton, N. E. *et al.*
colorectal cancer. Dominant genes for... are not rare, 99
Corbo, R. M., Ingianna, R., Scacchi, R. & Bozzi, A.
kinetic properties of the common electrophoretic variants of human S-adenosylhomocysteine hydrolase (AHCY): the effect of four nucleoside analogue inhibitors, 35
Cortinovis, M.
see Maraschio, P. *et al.*

Daiger, S. P.
see Chakraborty, R. *et al.*
Dainotti, E.
see Maraschio, P. *et al.*

Daniels, G. L.
see Rowe, G. P. *et al.*
De Andrade, M.
see Chakraborty, R. *et al.*
deoxyribonuclease II. Genetic polymorphism of human ... (DNase II): low activity levels in urine and leukocytes are due to an autosomal recessive allele, 1
disequilibrium of multiple DNA markers on the human Y chromosome, 303
DNA typing data. Apparent heterozygote deficiencies observed in ... and their implications in forensic applications, 45
(DNase II). Genetic polymorphism of human deoxyribonuclease II: low activity levels in urine and leukocytes are due to an autosomal recessive allele, 1
dominant genes for colorectal cancer are not rare, 99
Douglas, A. J., Fox, M. F., Abbott, C. M., Hinks, L. J., Sharpe, G., Povey, S. & Thompson, R. J.
structure and chromosomal localization of the human 2′,3′-cyclic nucleotide 3′phosphodiesterase gene, 243
Dronamraju, K. R., *ed.*
Selected Genetic Papers of J. B. S. Haldane, reviewed by C. A. B. Smith, 165
Dunning, A. M.
see Renges, H.-H. *et al.*

Edwards, A. W. F. & Edwards, J. H.
metrical Venn diagrams, 71
Edwards, J. H.
see Edwards, A. W. F.
Edwards, Y.
see Kelly, C. D. *et al.*
ELOD calculations. The number of loci needed for, 59

forensic applications. Apparent heterozygote deficiencies observed in DNA typing data and their implications in, 45
Fountain, J.
see Povey, S. *et al.*
Fox, M. F., Lahbib, F., Pratt, W., Attwood, J., Gum, J., Kim, Y. & Swallow, D. M.
regional localization of the intestinal mucin gene *MUC3* to chromosome 7q22, 281
Fox, M. F.
see Douglas, A. J. *et al.*
Frontali, M.
review of *Multiple Congenital Anomalies: A Diagnostic Compendium*, by R. M. Winter & M. Baraitser, 80

Gale, S. A.
see Rowe, G. P. *et al.*
Gedde-Dahl, T., Jr.
see Rogde, S. *et al.*
gene mapping by radiation hybrids. Bayesian methods and optimal experimental design for, 119
genetic identity coefficients. Calculation of, 339
glutamate decarboxylase, human. Nucleotide sequence and chromosomal assignment of a cDNA encoding the large isoform of, 255
Green, C. A.
see Rowe, G. P. *et al.*
Green, J. R. & Shah, S.
the power of the N-test of haplotype concordance, 331
Gum, J.
see Fox, M. F. *et al.*

Haines, J.
see Povey, S. *et al.*
Hammer, M.
see Persichetti, F. *et al.*
Harfst, E.
see Kelly, C. D. *et al.*
hazard and probabilities of unknown genotypes, 325
Hinks, L. J.
see Douglas, A. J. *et al.*
Houlston, R. S., Collins, A., Slack, J. & Morton, N. E.
dominant genes for colorectal cancer are not rare, 99
Høyheim, B.
see Rogde, S. *et al.*
Hsieh, C.-L. & Sutton, H. E.
mitochondrial and nuclear variants in a U.S. Black population: origins of a hybrid population, 105
Hultén, M.
see Povey, S. *et al.*
Humphries, S. E.
see Renges, H.-H. *et al.*
Hunter gene. Carrier detection of deletions of the ... by *in situ* hybridization, 93
Hutchinson, T. P.
in the multifactorial model of disease transmission, why is the rank correlation sensitive to choice of bivariate distribution? 159

ICF syndrome, the. Interphase cytogenetics of, 273
Ingianna, R.
see Corbo, R. M. *et al.*
interphase cytogenetics of the ICF syndrome, 273
intestinal mucin. Regional localization of the ... gene *MUC3* to chromosome 7q22, 281

Jackson, I.
see Povey, S. *et al.*
Jeanpierre, M.
hazard and probabilities of unknown genotypes, 325
Jenkins, T.
see Soodyall, H.
Jin, D. K.
see Nakagome, Y. *et al.*
Jodice, C.
see Persichetti, F. *et al.*
Johnstone, A. P.
see Kelly, C. D. *et al.*
Jonassen, R.
see Rogde, S. *et al.*

Keats, B. J.
see Lawrence, S. *et al.*
Kelly, C. D., Edwards, Y., Johnstone, A. P., Harfst, E., Nógrádi, A., Nussey, S. S., Povey, S. & Carter, N. D.
nucleotide sequence and chromosomal assignment of a cDNA encoding the large isoform of human glutamate decarboxylase, 255
Khoisan populations from Southern Africa. Mitochondrial DNA polymorphisms in, 315
Kim, Y.
see Fox, M. F. *et al.*
kinship profiles and their errors, 77
Kishi, K.
see Yasuda, T. *et al.*
Kwiatkowski, D.
see Povey, S. *et al.*

Lahib, F.
see Fox, M. F. *et al.*
Lange, K. & Boehnke, M.
Bayesian methods and optimal experimental design for gene mapping by radiation hybrids, 119
Lange, K. & Sinsheimer, J. S.
calculation of genetic identity coefficients, 339
Lawrence, S., Keats, B. J. & Morton, N. E.
the AD1 locus in familial Alzheimer disease, 295
Lawrence, S.
see Morton, N. E. *et al.*
Lawrie, M.
see Povey, S. *et al.*
Lewis, C. M. & Cannings, C.
the number of loci needed for ELOD calculations, 59
linkage association studies with C8A and C8B RFLPs on chromosome 1, 233
linkage disequilibrium. The effect of mutation on, 155
location database, a. Algorithms for, 223
Lu-null families in South Wales. A study on, 267

Malaspina, P.
see Persichetti F. *et al.*
Maraschio, P., Cortinovis, M., Dainotti, E., Tupler, R. & Tiepolo, L.
interphase cytogenetics of the ICF syndrome, 273
marker information. Strategies based on... for the study of human diseases, 145
metrical Venn diagrams, 71
mitochondrial and nuclear variants in a U.S. Black population: origins of a hybrid population, 105
mitochondrial DNA polymorphisms in Khoisan populations from Southern Africa, 315
Moghrabi, N., Sutherland, L., Wooster, R., Povey, S., Boxer, M. & Burchell, B.
chromosomal assignment of human phenol and bilirubin UDP-glucuronosyltransferase genes (*UGT1A*-subfamily), 81
Morton, N. E., Collins, A., Lawrence, S. & Shields, D. C.
algorithms for a location database, 223
Morton, N. E.
see Houlston, R. S. *et al.*
Morton, N. E.
see Lawrence, S. *et al.*
mouse chromosome 2. The genes coding for phosphoenolpyruvate carboxykinase-1 (PCK1) and neuronal nicotinic acetylcholine receptor α4 subunit (CHRNA4) map to human chromosome 20, extending the known region of homology with, 289
MUC3. Regional localization of the intestinal mucin gene... to chromosome 7q22, 281
multifactorial model. In the... of disease transmission, why is the rank correlation sensitive to choice of bivariate distribution? 159
mutation. The effect of... on linkage disequilibrium, 155

Nadano, D.
see Yasuda, T. *et al.*
Nagafuchi, S.
see Nakagome, Y. *et al.*
Nakagome, Y., Young, S. R., Akane, A., Numabe, H., Jin, D. K., Yamori, Y., Seki, S., Tamura, T., Nagafuchi, S., Shiono, H. & Nakahori, Y.
a Y-associated allele may be characteristic of certain ethnic groups in Asia, 311
Nakahori, Y.
see Nakagome, Y. *et al.*
Natural selection associated with birth weight. VI. Towards the end of the stabilizing component, 113
neuronal nicotinic acetylcholine receptor α4 subunit. The genes coding for phosphoenolpyruvate carboxykinase-1 (PCK1) and... (CHRNA4) map to human chromosome 20, extending the known region of homology with mouse chromosome 2, 289
Nógrádi, A.
see Kelly, C. D. *et al.*
Novelletto, A.
see Persichetti, F. *et al.*
N-test of haplotype concordance, the. The power of, 331
Numabe, H.
see Nakagome, Y. *et al.*
Nussey, S. S.
see Kelly, C. D. *et al.*

Olaisen, B.
see Rogde, S. *et al.*

Peacock, R.
see Renges, H.-H. *et al.*
Persichetti, F., Blasi, P., Hammer, M., Malaspina, P., Jodice, C., Terrenato, L. & Novelletto, A.
disequilibrium of multiple DNA markers on the human Y chromosome, 303
phosphoenolpyruvate carboxykinase-1. The genes for... (PCK1) and neuronal nicotinic acetylcholine receptor α4 subunit (CHRNA4) map to human chromosome 20, extending the known region of homology with mouse chromosome 2, 289

Pilz, A. J., Willer, E., Povey, S. & Abbott, C. M.
the genes coding for phosphoenolpyruvate carboxykinase-1 (PCK1) and neuronal nicotinic acetylcholine receptor α4 subunit (CHRNA4) map to human chromnosome 20, extending the known region of homology with mouse chromosome 2, 289
Povey, S., Smith, M., Haines, J., Kwiatkowski, D., Fountain, J., Bale, A., Abbott, C., Jackson, I., Lawrie, M. & Hultén, M.
Report on the First International Workshop on Chromosome 9 and on Tuberous Sclerosis, 167
Povey, S.
see Douglas, A. J. *et al.*
Povey, S.
see Kelly, C. D. *et al.*
Povey, S.
see Moghrabi, N. *et al.*
Povey, S.
see Pilz, A. J. *et al.*
Pratt, W.
see Fox, M. F. *et al.*
probabilities of unknown genotypes. Hazard and, 325

radiation hybrids. Bayesian methods and optimal experimental design for gene mapping by, 119
Renges, H.-H., Peacock, R., Dunning, A. M., Talmud, P. & Humphries, S. E.
genetic relationship between the 3′-VNTR and diallelic apolipoprotein B gene polymorphisms: haplotype analysis in individuals of European and South Asian origin, 11
Report on the First International Workshop on Chromosome 9 and on Tuberous Sclerosis, 167
Rogde, S., Gedde-Dahl, T. Jr., Teisberg, P., Jonassen, R., Høyheim, B. & Olaisen, B.
linkage and association studies with C8A and C8B RFLPs on chromosome 1, 233
Rowe, G. P., Gale, S. A., Daniels, G. L., Green, C. A. & Tippett, P.
a study on Lu-null familes in South Wales, 267

Sawazaki, K.
see Yasuda, T. *et al.*
Scacchi, R.
see Corbo, R. M. *et al.*
Seki, S.
see Nakagome, Y. *et al.*
Shah, S.
see Green, J. R.
Sharpe, G.
see Douglas, A. J. *et al.*
Shields, D. C.
see Morton, N. E. *et al.*
Shiono, H.
see Nakagome, Y. *et al.*
Sinsheimer, J. S.
see Lange, K.
Slack, J.
see Houlston, R. S. *et al.*
Smith, C. A. B.
review of *Selected Genetic Papers of J. B. S. Haldane*, edited by K. Dronamraju, 165
Smith, M.
see Povey, S. *et al.*
Soodyall, H. & Jenkins, T.
mitochondrial DNA polymorphisms in Khoisan populations from Southern Africa, 315
South Wales. A study on Lu-null families in, 267
South Africa. Mitochondrial DNA polymorphisms in Khoisan populations from, 315
stabilizing component, the. Natural selection associated with birth weight. VI, Towards the end of, 113
Stone, S. & Adinolfi, M.
carrier detection of deletions of the Hunter gene by *in situ* hybridization, 93
Sutherland, L.
see Moghrabi, N. *et al.*
Sutton, H. E.
see Hsieh, C.-L.
Swallow, D. M.
see Fox, M. F. *et al.*

Talmud, P.
see Renges, H.-H. *et al.*
Tamura, T.
see Nakagome, Y. *et al.*
Teisberg, P.
see Rogde, S. *et al.*
Terranato, L.
see Persichetti, F. *et al.*
Terrenato, L.
see Ulizzi, L.
Thompson, R. J.
see Douglas, A. J. *et al.*
Tiepolo, L.
see Maraschio, P. *et al.*
Tippett, P.
see Rowe, G. P. *et al.*
tuberous sclerosis. Report on the First International Workshop on chromosome 9 and on, 167
Tupler, R.
see Maraschio, P. *et al.*

UDP-glucuronosyltransferase. Chromosomal assignment of human phenol and bilirubin...genes (*UGT1A*-subfamily), 81
Ulizzi, L. & Terrenato, L.
Natural selection associated with birth weight. VI. Towards the end of the stabilizing component, 113
U.S. Black population. Mitochondrial and nuclear variants in a...: origins of a hybrid population, 105

Venn diagrams, metrical, 71
VNTR. Genetic relationship between the 3′-...and diallelic apolipoprotein B gene polymorphisms: haplotype analysis in individuals of European and South Asian origin, 11

Willer, E.
see Pilz, A. J. *et al.*
Winter, R. M. & Baraitser, M.
Multiple Congenital Anomalies: A Diagnostic Compendium, reviewed by M. Frontali, 80
Wooster, R.
see Moghrabi, N. *et al.*
Wright, A. F.
see Carothers, A. D.

Y chromosome, the human. Disequilibrium of multiple DNA markers on, 303
Y-associated allele. A...may be characteristic of certain, ethnic groups in Asia, 311
Yamori, Y.
see Nakagome, Y. *et al.*
Yasuda, T., Nadano, D., Sawazaki, K. & Kishi, K.
genetic polymorphism of human deoxyribonuclease II (DNase II): low activity levels in urine and leukocytes are due to an autosomal recessive allele, 1
Young, S. R.
see Nakagome, Y. *et al.*